

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria. Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/898,024	07/05/2001	Toru Inada	0054-0236P	9286
2292	7590 07/25/2006		EXAM	INER
	EWART KOLASCH &	MOORE, IAN N		
	PO BOX 747 FALLS CHURCH, VA 22040-0747			PAPER NUMBER
			2616	
			DATE MAILED: 07/25/2006	

Please find below and/or attached an Office communication concerning this application or proceeding.

·	Application No.	Applicant(s)				
	09/898,024	INADA ET AL.				
Office Action Summary	Examiner	Art Unit				
	Ian N. Moore	2616				
The MAILING DATE of this communica Period for Reply	tion appears on the cover sheet wi	th the correspondence address				
A SHORTENED STATUTORY PERIOD FOR WHICHEVER IS LONGER, FROM THE MAIL - Extensions of time may be available under the provisions of 3 after SIX (6) MONTHS from the mailing date of this communic - If NO period for reply is specified above, the maximum statute - Failure to reply within the set or extended period for reply will, Any reply received by the Office later than three months after earned patent term adjustment. See 37 CFR 1.704(b).	LING DATE OF THIS COMMUNIC 7 CFR 1.136(a). In no event, however, may a re- cation. By period will apply and will expire SIX (6) MON' by statute, cause the application to become AB	CATION. sply be timely filed THS from the mailing date of this communication. ANDONED (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed of	1) Responsive to communication(s) filed on 29 June 2006.					
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4) ⊠ Claim(s) <u>1-6</u> is/are pending in the applied 4a) Of the above claim(s) is/are versions. 5) □ Claim(s) is/are allowed. 6) ⊠ Claim(s) <u>1,2,4 and 5</u> is/are rejected. 7) ⊠ Claim(s) <u>3,6</u> is/are objected to. 8) □ Claim(s) are subject to restriction.	withdrawn from consideration.					
Application Papers						
9) The specification is objected to by the E		# F				
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for a) All b) Some * c) None of: 1. Certified copies of the priority do 2. Certified copies of the priority do 3. Copies of the certified copies of application from the Internationa * See the attached detailed Office action for	cuments have been received. cuments have been received in A the priority documents have been I Bureau (PCT Rule 17.2(a)).	pplication No received in this National Stage				
Attachment(s) 1) Notice of References Cited (PTO-892)	4) ☐ Interview S	Summary (PTO-413)				
2) Notice of Draftsperson's Patent Drawing Review (PTO 3) Information Disclosure Statement(s) (PTO-1449 or PT Paper No(s)/Mail Date	-948) Paper No(s	s)/Mail Date formal Patent Application (PTO-152)				

Art Unit: 2616

DETAILED ACTION

Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 1,2, 4 and 5 are rejected under 35 U.S.C. 103(a) as being unpatentable over Takiyasu et al, hereinafter 'Takiyasu" (US Patent 5,113,392) in view of Bray et al, hereinafter "Bray" (US005161189A).

With regard to claims 1 and 4, Takiyasu discloses, if the length of a transmission message is equal to or shorter than 60 bytes (computing the packet length / comparing the computed packet length with a predetermined packet length), it can be transmitted by using a single cell. If it is longer than 60 bytes, it can be transmitted after being segmented (fragmentation unit) into a plurality of information blocks (plurality of divided data groups) on the 60 byte unit basis (predetermined data structure), which is capable of transmitting (column 6, lines 17-22). The info field 16 (adding ... control information) indicates the position of a particular information block. For instance, if the information contained in the info field 16 is the first information block of a message segmented into multiple blocks, ST 15A is set to "10", "01" for the last information block, "00" for an intermediate information block and "11" for a single information block (column 6, lines 22-28), wherein the plurality of information blocks are transmitted to the transmission destination terminal (see col. 6, line 6-10; see col. 8, line 15-26; transmission towards destination node).

Art Unit: 2616

Takiyasu does not expressly disclose encryption means for separately encrypting the plurality of divided data packets to form a plurality of encrypted packets; decryption terminal; two or more associated divided data packets and the control information permits the associated divided data packets to be decrypted independently without waiting for the arrival of any other associated divided data packets.

However, Bray teaches encryption means (see FIG. 2, Encryption device 213; or see FIG. 3, encryption device 321,323; see col. 3, line 33-67) for separately encrypting the plurality of divided data packets to form a plurality of encrypted packets (see FIG. 5A-C; forming a first second, third, and fourth rekeying message segments 501,503,505,507,509,511,513,515 are encrypted into a first second, third, and fourth encrypted messages each including a message header (MH) 519,521,523,525; see col. 1, line 66 to col. 2, line 5; col. 4, line 30-65);

an encrypted packet transmission unit (see FIG. 3, SCSI 313; or see FIG. 2, Transmitter 217) for transmitting the plurality of encrypted packets to a decryption terminal (see FIG. 1, terminal 107 or KMC 101 with decryption 213,323,321); see col. 3, line 16 to col. 4, line 5;

wherein the plurality of divided two or more associated divided data packets (see FIG. 5C, a first second, third, and fourth rekeying message segments, 503,507,511,515) and the control information (see FIG. 5C, MH 519,521,523,525) permits the associated divided data packets to be transmitted to the transmission destination terminal (see FIG. 1, terminal 107 or KMC 101) independently without waiting for the arrival of any other associated divided data packets (see FIG. 6, step 601,603,611,613; performing independent decryption on each message segment; see col. 5, line 43 to col. 6, line 5). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to provide encryption means

Art Unit: 2616

to encrypt message segment and decryption each message segment independently without waiting for the arrival of other segments, as taught by Bray in the system of Takiyasu, so that it would save time, energy and necessary RAM storage; see Bray col. 2, line 39-43.

With regard to claims 2 and 5, refer to rejection of claim 1 (cryptographic apparatus). With specific regards to the additional limitations of claim 2, Takiyasu discloses an asynchronous port 28 (terminal that receives) that includes a reassemble unit 51 (reconstructs the divided data groups) (column 8, lines 13-15). The info field 16 (control information) indicates the position of a particular information block (column 6, lines 22-28). Bray discloses a decryption apparatus (see FIG. 2, Encryption/decryption device 313; or see FIG. 3, encryption device 321,323; see col. 3, line 33-67), which receives the plurality of encrypted packets transmitted from said cryptographic apparatus, separately decrypts each of the plurality of encrypted packets into the divided data packet (see col. 5, line 43 to col. 6, line 5), and transmits the plurality of divided data packets in the decryption order (see col. 5, line 52 to col. 6, line 10). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to provide decryption means to encrypt message segment and decryption each message segment independently without waiting for the arrival of other segments and transmitting decrypted segments, as taught by Bray in the system of Takiyasu, for the same motivation as stated above in claims 1 and 4.

Application/Control Number: 09/898,024 Page 5

Art Unit: 2616

Allowable Subject Matter

3. Claims 3 and 6 are objected as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Response to Arguments

4. Applicant's arguments with respect to claim 1,2,4, and 5 have been considered but are most in view of the new ground(s) of rejection.

Regarding claims 1, 2,4,5 and 6, the applicant argued that, "...nowhere in Takiyasu is there any disclosure or suggestion of encrypting packets prior to transmission or of determining the size of the packets after they are encrypted as claimed...nowhere in Takiyasu is there any discussion of encrypting the data packets or the need or desire of encrypting the data packets" in page 10, paragraph 2; page 11, paragraph 3; page 13, paragraph 1,3-4; page 14, paragraph 2-3.

In response to applicant's argument, the examiner respectfully disagrees with the above argument.

In response to applicant's argument that the references fail to show certain features of applicant's invention, it is noted that the features upon which applicant relies (i.e., encrypting packets prior to transmission or of determining the size of the packets after they are encrypted) are not recited in the rejected claim(s). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993).

Art Unit: 2616

In response to applicant's arguments against the references individually, one cannot show nonobviousness by attacking references individually where the rejections are based on combinations of references. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981); *In re Merck & Co.*, 800 F.2d 1091, 231 USPQ 375 (Fed. Cir. 1986). In this case, the combined system of Takiyasu and Bray discloses all claimed invention. Bray discloses encrypting the data packets or the need or desire of encrypting the data packets as set forth below.

Regarding claims 1,2,4,5 and 6, the applicant argued that, "...nowhere in Bray is there any disclosure or suggestion of separately encrypting a plurality of divided data packets to form a plurality of encrypted packets wherein the plurality of divided data packets include two or more associated divided data packets and control information that permits the associated divided data packets to be independently transmitted to a transmission destination terminal without waiting for the arrival of any other associated divided data packet..." in page 11, paragraph 1; page 13, paragraph 1,3-4; page 14, paragraph 2-3.

In response to applicant's argument, the examiner respectfully disagrees with the above argument.

Bray discloses separately encrypting (see FIG. 2, Encryption device 213; or see FIG. 3, encryption device 321,323; see col. 3, line 33-67) the plurality of divided data packets to form a plurality of encrypted packets (see FIG. 5A-C; forming a first second, third, and fourth rekeying message segments 501,503,505,507,509,511,513,515 are encrypted into a first second, third, and fourth encrypted messages each including a message header (MH) 519,521,523,525; see col. 1, line 66 to col. 2, line 5; col. 4, line 30-65);

Art Unit: 2616

wherein the plurality of divided two or more associated divided data packets (see FIG. 5C, a first second, third, and fourth rekeying message segments, 503,507,511,515) and the control information (see FIG. 5C, MH 519,521,523,525) permits the associated divided data packets to be transmitted to the transmission destination terminal (see FIG. 1, terminal 107 or KMC 101) independently without waiting for the arrival of any other associated divided data packets (see FIG. 6, step 601,603,611,613; performing independent decryption on each message segment; see col. 5, line 43 to col. 6, line 5).

Regarding claims 1 and 6, the applicant argued that, "...one skilled in the art would not have been motivated to add encryption...absent proper motivation to combined the teachings of Takiyasu and Bray..." page 12, paragraph 1-2.

In response to applicant's argument that there is no proper suggestion to combine the references, the examiner recognizes that obviousness can only be established by combining or modifying the teachings of the prior art to produce the claimed invention where there is some teaching, suggestion, or motivation to do so found either in the references themselves or in the knowledge generally available to one of ordinary skill in the art. See *In re Fine*, 837 F.2d 1071, 5 USPQ2d 1596 (Fed. Cir. 1988) and *In re Jones*, 958 F.2d 347, 21 USPQ2d 1941 (Fed. Cir. 1992). In this case, it would have been obvious to one having ordinary skill in the art at the time the invention was made to provide encryption means to encrypt message segment and decryption each message segment independently without waiting for the arrival of other segments, as taught by Bray in the system of Takiyasu, so that it would save time, energy and necessary RAM storage; see Bray col. 2, line 39-43.

Art Unit: 2616

Moreover, it is also well known in the art and it would have been obvious to one having ordinary skill in the art at the time the invention was made by encryption to encrypt message segment and decryption each message segment independently without waiting for the arrival of other segments, it would provide data security (by way of encryption and decryption), and provide efficient transmission since there is no reason to wait for other segments before encryption/decryption since encryption/decryption are performed separately from segmentation/assembly process.

Thus, it is clear that the motivations set forth above are proper.

Regarding claims 1,2,4,5 and 6, the applicant argued that, "...neither Takiyasu nor Bray suggest an cryptographic apparatus the includes a fragmentation determination unit...a fragmentation unit...ensuring continuity between the divided data packets...Bray cannot be interpreted as disclosing determining the packet length after encryption..." in page 13, paragraph 1-4; page 14, paragraph 2-3.

In response to applicant's argument, the examiner respectfully disagrees with the above argument.

The combined system Takiyasu and Bray discloses all argued claimed invention as set forth in above rejection. In particular, a fragmentation determination unit (means for computing the packet length / comparing the computed packet length with a predetermined packet length within a node 200 (FIG. 1) before fragmentation) and a fragmentation unit (see FIG. 5, segmentation unit 54); column 6, lines 17-22.

In response to applicant's argument that the references fail to show certain features of applicant's invention, it is noted that the features upon which applicant relies (i.e., determining

Art Unit: 2616

the packet length after encryption) are not recited in the rejected claim(s). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPO2d 1057 (Fed. Cir. 1993).

Conclusion

5. THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ian N. Moore whose telephone number is 571-272-3085. The examiner can normally be reached on 9:00 AM- 6:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Doris To can be reached on 571-272-7629. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2616

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

,

INM 7-20-06

> DORIS H. TO SUPERVISORY PATENT EXAMINER

TECHNOLOGY CENTER 2600